

SAFETY DATA SHEET

CLEAN FORCE OVEN AND GRILL CLEANER AEROSOL

Section 1. Chemical product and company identification

Product name : CLEAN FORCE OVEN AND GRILL CLEANER AEROSOL
Recommended use and restrictions : Degreaser

Use only for the purpose on the product label.

Product dilution information : Not applicable

Supplier's information : PureForce
370 Wabasha Street North
St. Paul, MN 55102
1-866-444-7450

Code : 902139-03

Date of issue : **07 Mar 2013**

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

GHS Classification : **Product AS SOLD**
FLAMMABLE AEROSOLS. - Category 2
GASES UNDER PRESSURE - Compressed gas
SKIN CORROSION/IRRITATION - Category 1
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

GHS label elements

Signal word : Danger

Symbol : 

Hazard statements : Flammable aerosol.
Contains gas under pressure; may explode if heated.
Causes severe skin burns and eye damage.

Precautionary statements

Prevention : Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust or mist. Wash hands thoroughly after handling.

Response :

Product AT USE DILUTION

Product is sold ready to use.

Section 2. Hazards identification

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

- Storage** : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.
- Disposal** : See section 13 for waste disposal information.
- Other hazards** : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Product AS SOLD

Hazardous ingredients	Concentration Range (%)	CAS number
SODIUM HYDROXIDE	8	1310-73-2
BUTOXYDIGLYCOL	3	112-34-5
BUTANE	1 - 5	106-97-8
PROPANE	1 - 5	74-98-6

Product AT USE DILUTION

Hazardous ingredients	Concentration Range (%)	CAS number
Product is sold ready to use.		

Section 4. First aid measures

- Product AS SOLD**
- Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- Skin contact** : Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
- Ingestion** : Get medical attention immediately. Rinse mouth. Do not induce vomiting.
- Protection of first-aiders** :

Product AT USE DILUTION
Product is sold ready to use.

Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing media : Use water spray, fog or foam.

Specific hazards arising from the chemical : Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
metal oxide/oxides

Specific fire-fighting methods : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Product AS SOLD

Personal precautions : Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Environmental precautions : Avoid contact of spilled material and runoff with soil and surface waterways.

Methods for cleaning up : Use a water rinse for final clean-up.

Product AT USE DILUTION

Product is sold ready to use.

Section 7. Handling and storage

Product AS SOLD

Handling : Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Store and use away from heat, sparks, open flame or any other ignition source. Liquid and vapor under pressure. Do not puncture, incinerate or store the container at temperatures above 49°C (120°F) or in direct sunlight. Use only with adequate ventilation. Wash thoroughly after handling.

Storage :

Product AT USE DILUTION

Product is sold ready to use.

Section 7. Handling and storage

Keep out of reach of children. Keep container tightly closed. Keep container tightly closed and sealed until ready for use. Keep container in a cool, well-ventilated area. Avoid all possible sources of ignition (spark or flame). Do not puncture or incinerate container.

Store between the following temperatures: 5 and 45°C

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
SODIUM HYDROXIDE	ACGIH TLV (United States, 3/2012). C: 2 mg/m ³ OSHA PEL (United States, 6/2010). TWA: 2 mg/m ³ 8 hours. NIOSH REL (United States, 6/2009). CEIL: 2 mg/m ³
BUTOXYDIGLYCOL	ACGIH TLV (United States, 3/2012). TWA: 10 ppm 8 hours. Form: Inhalable fraction and vapor
BUTANE	ACGIH TLV (United States, 3/2012). TWA: 1000 ppm 8 hours. NIOSH REL (United States, 6/2009). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours.
PROPANE	ACGIH TLV (United States, 3/2012). TWA: 1000 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 1800 mg/m ³ 8 hours. TWA: 1000 ppm 8 hours. NIOSH REL (United States, 6/2009). TWA: 1000 ppm 10 hours. TWA: 1800 mg/m ³ 10 hours.

Appropriate engineering controls : **Product AS SOLD**
 : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eye protection : Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Hand protection : Use chemical-resistant, impervious gloves.

Skin protection : Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Product AT USE DILUTION

Product is sold ready to use.

Section 8. Exposure controls/personal protection

- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Section 9. Physical and chemical properties

- Product AS SOLD**
- Physical state** : Aerosol
- Color** : Clear
- Odor** : Odorless
- pH** : 13 to 14 (100%)
- Flash point** : Not applicable
- Explosion limits** : Not available.
- Flammability (solid, gas)** : Not available.
- Melting point** : Not available.
- Boiling point** : >100°C (>212°F)
- Evaporation rate (butyl acetate = 1)** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.02 to 1.04 (Water = 1)
- Solubility** : Not available.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Odor threshold** : Not available.
- Viscosity** : Not available.
- Aerosol product**
- Type of aerosol** : Spray
- Heat of combustion** : 0.00000427 kJ/g
- Ignition distance** : Not available.
- Flame height** : Not available.
- Flame duration** : Not available.

Product AT USE DILUTION

Product is sold ready to use.

Section 10. Stability and reactivity

Product AS SOLD

- Stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Avoid all possible sources of ignition (spark or flame).
- Materials to avoid** : Reactive or incompatible with the following materials: organic materials, metals, acids and alkalis.

Section 10. Stability and reactivity

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Route of exposure : Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur

Inhalation : Adverse symptoms may include the following:
respiratory tract irritation
coughing
Respiratory tract irritation

Ingestion : Adverse symptoms may include the following:
stomach pains

Acute toxicity

Eye contact : Causes serious eye damage.

Skin contact : Causes severe burns.

Inhalation : May cause respiratory irritation.

Ingestion : May cause burns to mouth, throat and stomach.

Product AT USE DILUTION

Product is sold ready to use.

Toxicity data

Product/ingredient name	Result	Species	Dose
2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2764 mg/kg
	LD50 Oral	Rat	3306 mg/kg
butane	LC50 Inhalation Gas.	Rat	280000 ppm

Chronic toxicity

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity : No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
sodium hydroxide	Acute EC50 40 mg/l	Daphnia	48 hours
2-(2-butoxyethoxy)ethanol	Acute LC50 1300 mg/l	Fish	96 hours
butane	Acute LC50 22.03 mg/l	Fish	96 hours

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods : Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture or incinerate container. Discard empty container in trash.

RCRA classification : Unused product is D002 (Corrosive)

Product AT USE DILUTION

Product is sold ready to use.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification UN1950
DOT Proper shipping name Aerosols
Class 2.1
Packing group -

IMO/IMDG

IMO/IMDG Classification UN1950
IMO/IMDG Proper shipping name AEROSOLS
Class 2.1
Packing group -

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.
SARA 302/304/311/312 extremely hazardous substances: No listed substance
SARA 302/304 emergency planning and notification: No listed substance

<u>SARA 313</u>	<u>Product name</u>	<u>CAS number</u>	<u>Concentration</u>
Form R - Reporting requirements	: 2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5

California Prop. 65 : No listed substance

Section 16. Other information

Section 16. Other information

Product AS SOLD

Hazardous Material :
Information System (U.S.A.)

Health	*	3
Flammability		2
Physical hazards		0

National Fire Protection :
Association (U.S.A.)



NFPA Aerosol Level : Level 1

Date of issue : 07 Mar 2013
Prepared by : Regulatory Affairs
1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.