

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Material number : ZUSPOT194

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | clear                              |
| Odour      | characteristic                     |

#### GHS Classification

Gases under pressure : Liquefied gas

Eye irritation : Category 2A

Reproductive toxicity : Category 1B

#### GHS label elements

Hazard pictograms :



Gas cylinder

Health hazard

Exclamation mark

Signal word : Danger

Hazard statements : H280 Contains gas under pressure; may explode if heated.  
H319 Causes serious eye irritation.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

| Chemical name              | CAS-No.   | Concentration [%] |
|----------------------------|-----------|-------------------|
| 2-butoxyethanol            | 111-76-2  | $\geq 5 - < 10$   |
| butane                     | 106-97-8  | $\geq 1 - < 5$    |
| acetone                    | 67-64-1   | $\geq 1 - < 5$    |
| propane                    | 74-98-6   | $\geq 1 - < 5$    |
| sodium borate, decahydrate | 1303-96-4 | $\geq 0.1 - < 1$  |

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

|                                                             |                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of eye contact                                      | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                                                                    |
| If swallowed                                                | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Take victim immediately to hospital.                                                                    |
| Most important symptoms and effects, both acute and delayed | : Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Chronic effects are delayed and symptoms may not be observed during an exposure.<br>Causes serious eye irritation.<br>May damage fertility or the unborn child.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                          |

---

#### SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                           |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical<br>Water spray jet                                                                                                                                       |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                               |
| Hazardous combustion products                 | : Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke                                                                                                                                                                        |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                 |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                  |

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Evaporates.  
Evacuate personnel to safe areas.  
Remove all sources of ignition.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Always replace cap after use.  
Do not breathe vapours or spray mist.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Observe label precautions.  
Keep in a dry, cool and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis |
|------------|---------|----------------------------------|---------------------------------------------------|-------|
|            |         |                                  |                                                   |       |

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

|                            |           |      |                          |           |
|----------------------------|-----------|------|--------------------------|-----------|
| 2-butoxyethanol            | 111-76-2  | TWA  | 20 ppm                   | ACGIH     |
|                            |           | TWA  | 5 ppm<br>24 mg/m3        | NIOSH REL |
|                            |           | TWA  | 50 ppm<br>240 mg/m3      | OSHA Z-1  |
|                            |           | TWA  | 25 ppm<br>120 mg/m3      | OSHA P0   |
|                            |           | PEL  | 20 ppm<br>97 mg/m3       | CAL PEL   |
| butane                     | 106-97-8  | TWA  | 800 ppm<br>1,900 mg/m3   | NIOSH REL |
|                            |           | TWA  | 800 ppm<br>1,900 mg/m3   | OSHA P0   |
|                            |           | PEL  | 800 ppm<br>1,900 mg/m3   | CAL PEL   |
|                            |           | STEL | 1,000 ppm                | ACGIH     |
| acetone                    | 67-64-1   | TWA  | 250 ppm                  | ACGIH     |
|                            |           | STEL | 500 ppm                  | ACGIH     |
|                            |           | TWA  | 250 ppm<br>590 mg/m3     | NIOSH REL |
|                            |           | TWA  | 1,000 ppm<br>2,400 mg/m3 | OSHA Z-1  |
|                            |           | TWA  | 750 ppm<br>1,800 mg/m3   | OSHA P0   |
|                            |           | STEL | 1,000 ppm<br>2,400 mg/m3 | OSHA P0   |
|                            |           | STEL | 750 ppm<br>1,780 mg/m3   | CAL PEL   |
|                            |           | C    | 3,000 ppm                | CAL PEL   |
|                            |           | PEL  | 500 ppm<br>1,200 mg/m3   | CAL PEL   |
| propane                    | 74-98-6   | TWA  | 1,000 ppm<br>1,800 mg/m3 | NIOSH REL |
|                            |           | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA Z-1  |
|                            |           | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA P0   |
|                            |           | PEL  | 1,000 ppm<br>1,800 mg/m3 | CAL PEL   |
| sodium borate, decahydrate | 1303-96-4 | TWA  | 5 mg/m3                  | NIOSH REL |
|                            |           | TWA  | 10 mg/m3                 | OSHA P0   |
|                            |           | PEL  | 5 mg/m3                  | CAL PEL   |

### Biological occupational exposure limits

| Component       | CAS-No.  | Control parameters      | Biological specimen | Sampling time                                            | Permissible concentration | Basis     |
|-----------------|----------|-------------------------|---------------------|----------------------------------------------------------|---------------------------|-----------|
| 2-BUTOXYETHANOL | 111-76-2 | Butoxyacetic acid (BAA) | Urine               | End of shift (As soon as possible after exposure ceases) | 200.mg/g Creatinine       | ACGIH BEI |
| 2-PROPANONE     | 67-64-1  | Acetone                 | Urine               | End of                                                   | 25 mg/l                   | ACGIH BEI |

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

|  |  |  |  |                                                   |  |  |
|--|--|--|--|---------------------------------------------------|--|--|
|  |  |  |  | shift (As soon as possible after exposure ceases) |  |  |
|--|--|--|--|---------------------------------------------------|--|--|

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses

Eye wash bottle with pure water

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a liquefied gas

Colour : clear

Odour : characteristic

Odour Threshold : No data available

pH : 9 - 10

Melting point/freezing point : No data available

Boiling point : 100 °C

Flash point :  
No data available

Evaporation rate : No data available

Flammability (solid, gas, liquid) : The product is not flammable.

Upper explosion limit : Not applicable

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

|                                        |                            |
|----------------------------------------|----------------------------|
| Lower explosion limit                  | : Not applicable           |
| Vapour pressure                        | : No data available        |
| Density                                | : 0.9922 g/cm <sup>3</sup> |
| Solubility(ies)                        |                            |
| Water solubility                       | : soluble                  |
| Partition coefficient: n-octanol/water | : No data available        |
| Auto-ignition temperature              | : not determined           |
| Thermal decomposition                  | : No data available        |
| Viscosity                              |                            |
| Viscosity, kinematic                   | : No data available        |
| Heat of combustion                     | : 7.7 kJ/g                 |

---

#### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents                                                                                    |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

|                              |                                                                                                                                                                                                                                      |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                                                                                                                                                                        |
| Symptoms of Overexposure     | : Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Chronic effects are delayed and symptoms may not be observed during an exposure.<br>Causes serious eye irritation. |

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

May damage fertility or the unborn child.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

|              |                                                                                                                                         |           |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>IARC</b>  | Group 2A: Probably carcinogenic to humans                                                                                               |           |
|              | sodium nitrite                                                                                                                          | 7632-00-0 |
| <b>ACGIH</b> | Confirmed animal carcinogen with unknown relevance to humans                                                                            |           |
|              | 2-butoxyethanol                                                                                                                         | 111-76-2  |
| <b>OSHA</b>  | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.                |           |
| <b>NTP</b>   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |           |

#### Acute toxicity

##### Product:

|                           |                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method                                                  |
| Acute inhalation toxicity | : Acute toxicity estimate : 15.02 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method                                                  |

##### Components:

##### **2-butoxyethanol:**

|                       |                                   |
|-----------------------|-----------------------------------|
| Acute oral toxicity   | : LD50 Oral Rat: 880 mg/kg        |
| Acute dermal toxicity | : LD50 Dermal Rabbit: 1,060 mg/kg |

##### **acetone:**

|                           |                                                                       |
|---------------------------|-----------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 Rat: 5,800 mg/kg                                               |
| Acute inhalation toxicity | : LC50 Rat: 132 mg/l<br>Exposure time: 3 h<br><br>LC50 Rat: 50.1 mg/l |
| Acute dermal toxicity     | : LD50 Guinea pig: > 7,426 mg/kg<br><br>LD50 Rabbit: > 7,426 mg/kg    |

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

#### Skin corrosion/irritation

**Product:**

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

**Product:**

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

**Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

**Product:**

## SAFETY DATA SHEET

### ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:**

**butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

|                                                                                                      |
|------------------------------------------------------------------------------------------------------|
| Transportation Regulation: 49 CFR (USA):<br>UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity |
|------------------------------------------------------------------------------------------------------|

|                                                                                        |
|----------------------------------------------------------------------------------------|
| Transportation Regulation: IMDG (Vessel):<br>UN1950, AEROSOLS, 2.2, - Limited quantity |
|----------------------------------------------------------------------------------------|

|                                                                                                          |
|----------------------------------------------------------------------------------------------------------|
| Transportation Regulation: IATA (Cargo Air):<br>UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity |
|----------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

Transportation Regulation: IATA (Passenger Air):  
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

sodium nitrite 7632-00-0

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

| Components     | CAS-No.   | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|----------------|-----------|-----------------------|--------------------------------|
| sodium nitrite | 7632-00-0 | 100                   | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Gases under pressure  
Serious eye damage or eye irritation  
Reproductive toxicity

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
2-butoxyethanol 111-76-2 9.9865 %

##### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

The components of this product are reported in the following inventories:

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>3</b> |
| <b>FLAMMABILITY</b>    | <b>2</b> |
| <b>INSTABILITY</b>     | <b>0</b> |
| <b>SPECIAL HAZARD.</b> |          |

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme

#### HMIS III:

|                        |           |
|------------------------|-----------|
| <b>HEALTH</b>          | <b>3*</b> |
| <b>FLAMMABILITY</b>    | <b>0</b>  |
| <b>PHYSICAL HAZARD</b> | <b>2</b>  |

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

# SAFETY DATA SHEET

## ZEP INSTANT CARPET & UPHOLSTERY SPOT REMOVER 20N19 4CT

Version 3.1

Revision Date 10/01/2023

Print Date 01/15/2026

Hazard pictograms

:



Gas cylinder



Health hazard



Exclamation mark

Signal word

: **Danger:**

Hazard statements

: Contains gas under pressure; may explode if heated. Causes serious eye irritation. May damage fertility or the unborn child.

Precautionary statements

:

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.  
**Storage:** Protect from sunlight. Store in a well-ventilated place.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 3.1        |
| Revision Date: | 10/01/2023 |
| Print Date:    | 01/15/2026 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.